

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

Applicant: Stewart

Case: 10915R

Serial No.: 08/447,717 Filed: May 23, 1995

Group Art Unit: 2415

Examiner: Luu, M.

Title: ACTIVE MATRIX ELECTROLUMINESCENT DISPLAY AND

METHOD OF OPERATION

ASSISTANT COMMISSIONER FOR PATENTS Washington, D. C. 20231

S I R:

I believe that no additional claim fee is required for the accompanying amendment. My belief is based upon the following calculations:

	<u>Independent</u>	Total claims	
Claims now pending	<u>6</u>	<u>29</u>	
Less: Highest number of claims previously			
paid for	6	3 2	
Fee due:	<u>0</u> x \$82.00	+ 0 x \$22.00 =	\$0.00
Fee for newly	added multiple dep	pendent claims	\$0.00
Reduction in c	laim fee due to sm	mall entity <u>-</u>	\$0.00
	T	otal fee due	\$0.00

In the event I am mistaken and a fee is due, kindly charge that fee to my deposit account number 20-0782. To facilitate that charge, a duplicate copy of this letter is enclosed herewith.

Respectfully submitted,

Joseph Pagnotta, Patent Agent

Reg. No. 39,322 (908) 530-9404

Jan 20, 1998

Thomason & Moser Attorneys at Law The Galleria 2-40 Bridge Avenue P. O. Box 8160 Red Bank, New Jersey 07701

Please continue sending all correspondence to:

Law and Patent Operations
David Sarnoff Research Center, Inc.
CN 5300
Princeton, NJ 08543-5300

CERTIFICATE OF MAILING under 37 C.F.R. 1.8(a)

A hereby certify that this correspondence is being deposited on with the United States Postal Service as first class mail, with sufficient postage, in an
envelope addressed to the Commissioner of Patents and Trademarks,
Washington, D.C. 20231.
Kathleen Fahran
Signature 0 100 d
Banuary 20, 1998
Date of signature
y



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

Applicant: Stewart

Case: 10915R

Serial No.: **08/447,717**

Filed: May 23, 1995

Group Art Unit: 2415

Examiner: Luu, M.

Title: ACTIVE MATRIX ELECTROLUMINESCENT DISPLAY AND

METHOD OF OPERATION

ASSISTANT COMMISSIONER FOR PATENTS Washington, D. C. 20231

SIR:

AMENDMENT

In response to the Office Action dated October 22, 1997, please amend the above-identified application as follows:

IN THE DRAWINGS

Please add figures 7 and 8.

IN THE SPECIFICATION

Page 2, line 20

Add, as a new paragraph, the following passage --FIG. 7 depicts an illustrative timing relationship of the signals used for gray scale control of the invention; and FIG. 8 depicts an illustrative timing relationship of the signals used for digital gray scale control of the invention.--;

Bl